

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Figure 1A




Figure 1B




Figure 1C





Figure 1D



Effect of Amine Linkage on *In Vivo* Efficacy (Murine Lung)





Figure 2

Effect of Alkyl Chain Length *In Vivo* (Murine Lung)





Figure 3

Relative In Vivo Efficacy (Murine Lung)





Figure 4

Cytectin Enhanced Expression Murine Intraperitoneal Model



Conditions: 0.5 mg DNA, 10/1 mol/mol DNA/cytectin in 1.5 mL saline

Figure 5

pDNA Vaccination [Antibodies to Influenza NP]




FIGURE 6

Subcutaneous Melanoma Model




FIGURE 7